

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions of claims in the application:

Listing of Claims:

1. (currently amended) A method of preparing solid nanometer medicines, comprising consisting of:
 - A. providing a solution with amphiphiles, wherein the amphiphile is a combination of hydroxypropyl-beta-cyclodextrin (HP- β -CD) and phospholipids at a weight ratio of 1 : 0.05 - 0.3, and the solution is selected from hydrophilic solvent, or a combination of hydrophilic solvent and water,
 - B. adding medicines into the solution with amphiphiles,
 - C. forming a complex of medicines and amphiphiles, and
 - D. transforming the complex into solid granules particles by concentration at a low pressure, and
 - E. optionally combining the solid particles with a stabilizer, a surfactant, or combinations thereof,
wherein the diameter of the solid particles ranges from 1 nm to about 300 nm.
2. (currently amended) The method according to claim 1, wherein the amphiphile is selected from hydroxypropyl-beta-cyclodextrin (HP- β -CD), phospholipids or their combination the solid particles dissolve in water and form a microemulsion or submicroemulsion.
3. (currently amended) The method according to claim 2 4, wherein the solvent dissolving the amphiphile is selected from hydrophilic solvent, water or their combination the solid particles are steadily suspended in the water and form a homogeneous system.
4. (canceled)

5. (currently amended) The method according to claim 1, wherein the amphiphile is dissolved combined with the solution at 30~100°C.
6. (currently amended) The method according to claim 5, wherein the amphiphile is dissolved combined with the solution at 60~75°C.
7. (original) The method according to claim 1, wherein the medicine is at least one of paclitaxel, artemether, dihydroartemisinin, busulfan, nimodipine, nitrendipine, nifedipine, diazepam, cinnarizine, lovastatin and simvastatin.
8. (currently amended) The method according to claim 1, wherein the granule particle diameter of the complex of the medicines and amphiphiles is less than 300nm with the amphiphile outside and medicines inside.
9. (canceled)
10. (currently amended) The method according to claim 1 9, wherein the surfactant is Polysorbate 80.
11. (currently amended) The method according to claim 1 10, wherein the stabilizer is selected from Polyvidone (PVP) K₃₀ or K₁₅ (PVP K₃₀) or dextran 40, 70.
12. (currently amended) A solid nanometer medicine prepared by a method according to any one of claim 1 to claim 11.
13. (original) The solid nanometer medicine according to claim 12 is paclitaxel.
14. (currently amended) The solid nanometer medicine according to claim 12, wherein the solid nanometer medicine can be used for intravenous injection, intraperitoneal injection, atomized atomization and inhalation, and oral administration.
15. (original) An injection prepared with the solid nanometer medicine according to claim 12.

16. (original) The injection according to claim 15, wherein the medicine is paclitaxel.

17-21. (canceled)